

**Safety Data Sheet**

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 1 of 12

**SECTION 1: Identification****Product Identifier****Product Name:** Banister LFC**Product code:** EPA Reg. No.: 93930-23**Recommended Use of the Chemical and Restrictions on Use:****Recommended Uses:** Liquid insecticide**Restrictions on Use:** Any use other than specified above**Manufacturer or Supplier Details****Manufacturer:****United States**

Avalaire, LLC

1705 Towanda Ave.

Bloomington, IL 61701

(309) 557-6653

**Emergency Telephone Number:****For Chemical Emergency**

CHEMTREC

1-800-424-9300 (24 hours)

+1-703-527-3887 (24 hours)

Collect calls accepted

**For Emergency Medical Treatment Information**

SafetyCall

1-984-465-4791 (24 hours)

**SECTION 2: Hazard Identification****Classification of the chemical in accordance with paragraph (d) of § 1910.1200:**

Acute toxicity (oral), category 3

Acute toxicity (inhalation), category 4

Carcinogenicity, category 2

Specific target organ toxicity - single exposure, category 1

Specific target organ toxicity - repeated exposure, category 1

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

**Label elements****Hazard Symbol(s):****Signal Word:** Danger**Hazard statement(s):**

H301 Toxic if swallowed

H332 Harmful if inhaled

H351 Suspected of causing cancer

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 2 of 12

## Banister LFC

H370 Causes damage to organs (central nervous system).

H372 Causes damage to organs (central nervous system) by repeated or prolonged exposure.

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

### Precautionary Statement(s):

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing and eye protection.

P260 Do not breathe mist, vapours or spray.

P264 Wash any exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P308+P311 IF exposed or concerned: CALL a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P391 Collect spillage.

P405 Store locked up.

P501 Dispose of contents and container in accordance with federal, state and local regulations.

### Hazards Not Otherwise Classified: None

## SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 82657-04-3	Bifenthrin	17.15
CAS Number: 57-55-6	Propylene glycol	1-5
CAS Number: 1310-73-2	Sodium hydroxide	1-5

### Additional information:

NOTE: Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

## SECTION 4: First Aid Measures

### Description of Necessary Measures

#### General Notes:

Show this Safety Data Sheet to the doctor in attendance. This product is toxic by one or more routes of exposure (inhalation, ingestion, skin contact). Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 3 of 12

## Banister LFC

product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-984-465-4791 for emergency medical treatment information. For Chemical Emergency: spill, leak, fire, exposure or accident, call CHEMTREC day or night within USA and Canada at 1-800-424-9300 or +1-703-527-3887 (collect calls accepted)

### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

### After Ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

## Most Important Symptoms and Effects, Both Acute and Delayed

### Acute Symptoms and Effects:

Causes damage to organs. Effects are dependent on exposure (dose, concentration, contact time)  
Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time)  
Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time)

### Delayed Symptoms and Effects:

Suspected of causing cancer. Effects are dependent on exposure (dose, concentration, contact time)  
Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time)  
Symptoms of exposure may be delayed

## Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

### Immediate Medical Attention:

If exhibiting symptoms of exposure, seek prompt medical attention

### Special Treatment:

No additional information.

### Notes for the Doctor:

Treat symptomatically

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

#### Unsuitable Extinguishing Media:

Do not use water jet

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 4 of 12

## Banister LFC

### Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

Hazardous Combustion Products: oxides of carbon, hydrogen chloride, hydrogen fluoride, and sulfur oxides

### Special Protective Equipment and Precautions for Fire-Fighters

#### Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

#### Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing with proper techniques in order to prevent contact with skin or eyes. Place contaminated clothing in a sealed container for future disposal

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

### Methods and Material for Containment and Cleaning Up:

Toxic if swallowed. Do not touch mouth or face with contaminated gloves or clothing. Do not ingest. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Toxic if swallowed. Do not handle material unless wearing appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Prevent contact with skin, eyes and clothing. Handle with caution. Do not handle broken or punctured containers. Immediately report spills, leaks or problems with hazard control measures. Wash thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 5 of 12

## Banister LFC

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Propylene glycol	57-55-6	8-Hour TWA: 10 mg/m <sup>3</sup>
ACGIH	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
OSHA	Sodium hydroxide	1310-73-2	8-Hour TWA-PEL: 2 mg/m <sup>3</sup>
NIOSH	Sodium hydroxide	1310-73-2	IDLH: 10 mg/m <sup>3</sup>
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
United States(California)	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Toxic if swallowed. Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Individual Protection Measures, Such as Personal Protective Equipment

#### Eye and Face Protection:

Use safety glasses with side shields or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Physical state	Liquid
Color	Opaque white
Odor (includes odor threshold)	Sweet
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 6 of 12

## Banister LFC

<b>Flammability</b>	Not determined or not available.
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Flash point</b>	Not determined or not available.
<b>Auto-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>pH</b>	6.04 (1% dispersion)
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Vapor pressure (includes evaporation rate)</b>	Not determined or not available.
<b>Density and/or relative density</b>	1.08 g/cm <sup>3</sup> (9.01 pounds/gallon) at 26°C
<b>Relative vapor density</b>	Not determined or not available.
<b>Particle characteristics</b>	Not determined or not available.

### Other Information

No additional information.

## SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### Conditions to Avoid:

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

### Incompatible Materials:

None known

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

#### Assessment:

Toxic if swallowed

Harmful if inhaled.

#### Product Data:

Route	Result
Oral	LD50 Rat: 175 mg/kg
Dermal	LD50 Rabbit: > 5,000 mg/kg
Inhalation	LC50 Rat: > 2.28 mg/L (4 hr)

#### Substance Data:

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 7 of 12

## Banister LFC

Name	Route	Result
Propylene glycol	oral	LD50 Rat: 22,000 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
	inhalation	LC50 Rat: > 44.9 mg/L (4hr [vapour])
Sodium hydroxide	oral	LD50 Rat: 325 mg/kg
	dermal	LD50 Rabbit: 1350 mg/kg
Bifenthrin	oral	LD50 Rat: 54 mg/kg
	Inhalation ATE	LC50 Rat: 0.05 mg/L (4hr [dust/mist])
	dermal	LD50 Rabbit: > 2,000 mg/kg

### Skin Corrosion/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

slightly irritating (rabbit)

**Substance Data:**

Name	Result
Sodium hydroxide	Causes severe skin burns.
Bifenthrin	Moderately irritating (rabbit)

### Serious Eye Damage/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

minimally irritating (rabbit)

**Substance Data:**

Name	Result
Sodium hydroxide	Causes serious eye damage.
Bifenthrin	Mildly irritating (rabbit)

### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

Not a dermal sensitizer

**Substance Data:**

Name	Result
Bifenthrin	Not a contact sensitizer (guinea pig)

### Carcinogenicity

**Assessment:**

Suspected of causing cancer.

**Product Data:** No data available.

**Substance Data:**

Name	Species	Result
Bifenthrin		Suspected of causing cancer.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 8 of 12

## Banister LFC

### Product Data:

No data available.

### Substance Data:

Name	Result
Bifenthrin	No evidence of mutagenic effects during in vivo and in vitro assays.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

### Product Data:

No data available.

### Substance Data:

Name	Result
Bifenthrin	Not known to cause reproductive or birth defects at normal exposure levels.

### Specific Target Organ Toxicity (Single Exposure)

#### Assessment:

Causes damage to organs.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Bifenthrin	Causes damage to nervous system through single exposure.

### Specific Target Organ Toxicity (Repeated Exposure)

#### Assessment:

Causes damage to organs through prolonged or repeated exposure.

#### Product Data:

No data available.

#### Substance Data:

Name	Result
Bifenthrin	Causes damage to nervous system through prolonged or repeated exposure.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

### Interactive effects:

No additional information.

### Other Information:

Information in this section is provided from a similar formulation.

## SECTION 12: Ecological Information

### Ecotoxicity

#### Acute (Short-Term) Toxicity

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 9 of 12

## Banister LFC

### Assessment:

Very toxic to aquatic life.

**Product Data:** No data available.

### Substance Data:

Name	Result
Propylene glycol	Fish LC50 Oncorhynchus mykiss: 51,600 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: 19000 mg/L (96 hr [growth rate])
	Aquatic Invertebrates EC50 Daphnia magna: 43,500 mg/L (48 hr [Immobilisation])
Sodium hydroxide	Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr [immobilization])
	Fish LC50 Fish: 35 - 189 mg/L (96 hr)
Bifenthrin	Fish LC50 Rainbow trout: 0.00015 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia: 0.0016 mg/L (48 hr)

### Chronic (Long-Term) Toxicity

#### Assessment:

Very toxic to aquatic life with long lasting effects.

**Product Data:** No data available.

#### Substance Data:

Name	Result
Propylene glycol	Aquatic Invertebrates NOEC Ceriodaphnia sp.: 13,020 mg/L (7 d [reproduction])

### Persistence and Degradability

**Product Data:** No data available.

#### Substance Data:

Name	Result
Propylene glycol	The substance is readily biodegradable. 81.7% degradation in water, measured by CO2 evolution, after 28 days.
Sodium hydroxide	Persistence assessment based on biodegradability is not relevant for inorganic compounds such as this substance.
Bifenthrin	Moderately stable in soil under aerobic conditions (half-life ranging from 65 to 125 days) and at a wide range of pH values.

### Bioaccumulative Potential

**Product Data:** No data available.

#### Substance Data:

Name	Result
Propylene glycol	The substance is not expected to bioaccumulate (BCF: 0.09).
Sodium hydroxide	Bioaccumulation assessment using a classic BCF assessment is not considered relevant for inorganic compounds such as this substance.

### Mobility in Soil

**Product Data:** No data available.

#### Substance Data:

Name	Result
Propylene glycol	The substance is highly mobile, therefore, adsorption to soil and sediment is not expected (calculated Koc: 2.9).
Sodium hydroxide	Mobility in soil assessment based on KOC/Kd values are not relevant for inorganic compounds such as this substance.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 10 of 12

## Banister LFC

Name	Result
Bifenthrin	Readily binds to organic matter, is not mobile in soils, and has a very low potential to contaminate groundwater.

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Other Adverse Effects:

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

## SECTION 13: Disposal Considerations

### Disposal Methods:

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of excess or waste pesticide by use according to label directions, or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Contaminated packaging:

**CONTAINER DISPOSAL:** Nonrefillable and refillable containers. Refer to the product label for specific container disposal instructions.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	UN3352
UN Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
UN Transport Hazard Class(es)	6.1 
Packing Group	III
Environmental Hazards	None
Special Precautions for User	None
Additional Information	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### International Maritime Dangerous Goods (IMDG)

UN Number	UN3352
UN Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
UN Transport Hazard Class(es)	6.1 

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 11 of 12

## Banister LFC

<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN Number</b>	UN3352
<b>UN Proper Shipping Name</b>	Pyrethroid pesticide, liquid, toxic
<b>UN Transport Hazard Class(es)</b>	6.1 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	Marine Pollutant
<b>Special Precautions for User</b>	None
<b>Additional Information</b>	This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

<b>Bulk Name</b>	Not Applicable
<b>Ship Type</b>	Not Applicable
<b>Pollution Category</b>	Not Applicable

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:**

82657-04-3	Bifenthrin	Listed
------------	------------	--------

**CERCLA:**

1310-73-2	Sodium hydroxide	Listed	1000 lb
-----------	------------------	--------	---------

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 03.23.2026

Page 12 of 12

## Banister LFC

### Massachusetts Right to Know:

1310-73-2	Sodium hydroxide	Listed
-----------	------------------	--------

### New Jersey Right to Know:

57-55-6	Propylene glycol	Listed
1310-73-2	Sodium hydroxide	Listed
82657-04-3	Bifenthrin	Listed

### New York Right to Know:

1310-73-2	Sodium hydroxide	Listed
-----------	------------------	--------

### Pennsylvania Right to Know:

57-55-6	Propylene glycol	Listed
1310-73-2	Sodium hydroxide	Listed

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** FIFRA: All pesticides are governed under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The regulatory information presented outside of this FIFRA section is pertinent only when this product is handled outside of normal use and application as a pesticide. This product is excluded from listing requirements under EPA/TSCA. The following is the hazard information as required on the pesticide label:; PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS, WARNING, May be fatal if swallowed., Causes moderate eye irritation., ENVIRONMENTAL HAZARDS, Extremely toxic to fish., Extremely toxic to aquatic invertebrates., Highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds., PHYSICAL OR CHEMICAL HAZARDS, Do not mix or allow coming in contact with oxidizing agent. Hazardous chemical reaction may occur.

## SECTION 16: Other Information

### Disclaimer:

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. To the extent consistent with applicable law, neither Avalaire, LLC nor Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF AVALAIRE, LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF AVALAIRE, LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Initial Preparation Date: 03.23.2026

End of Safety Data Sheet